## AMENDMENTS TO THE CLAIMS AFTER ALLOWANCE:

Please amend the claims as follows:

 (Previously presented) A promoter comprising an isolated DNA molecule having a fragment of SEQ ID NO:6 of at least 300 nucleotides or comprising an isolated DNA molecule having at least 95% sequence identity to the sequence set forth in SEQ ID NO:8

Claims 2-70. (Cancelled).

- 71. (Previously presented) The promoter of claim 1, wherein the DNA molecule is as set forth in SEQ ID NO:6 or 7.
- 72. (Cancelled)
- 73. (Previously presented) A monocotyledonous plant comprising the promoter of claim 1 operably linked to a heterologous nucleic acid, wherein the heterologous nucleic acid is expressed constitutively in the monocotyledonous plant.
- 74. (Previously presented) A non-graminaceous monocotyledonous plant comprising the promoter of claim 1 operably linked to a heterologous nucleic acid, wherein the heterologous nucleic acid is expressed constitutively in the non-graminaceous monocotyledonous plant.
- 75. (Previously presented) The non-graminaceous monocotyledonous plant of claim 74, wherein the non-graminaceous monocotyledonous plant is selected from the group consisting of *Musaceae*, taro, ginger, onions, garlic, pineapple, bromeliaeds, palms, orchids, lilies and irises.
- 76. (Previously presented) The non-graminaceous monocotyledonous plant of claim 74, wherein the non-graminaceous monocotyledonous plant is taro.
- 77-86. (Cancelled).
- 87. (Previously presented) A chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed.
- 88. (Previously presented) The construct of claim 87, further comprising a 3' non-

translated sequence that is operably linked to the heterologous DNA sequence that functions in plant cells to terminate transcription and/or to cause addition of a polyadenylated nucleotide sequence to the 3' end of a transcribed RNA sequence.

- 89-92. (Cancelled).
- 93. (Previously presented) The construct of claim 87, wherein the heterologous DNA sequence to be transcribed encodes a structural or regulatory protein.
- 94. (Previously presented) The construct of claim 87, wherein the heterologous DNA sequence to be transcribed encodes a transcript capable of modulating expression of a corresponding target gene.
- 95. (Previously presented) The construct of claim 94, wherein the transcript comprises a transcribed region for downregulating the expression of the corresponding target gene.
- 96. (Previously presented) The construct of claim 94, wherein the transcript comprises a transcribed region comprising a molecule selected from the group consisting of a sense suppression molecule, an antisense RNA, a ribozyme and an RNAi molecule.
- 97. (Previously presented) The construct of claim 87, further comprising an enhancer element.
- 98. (Currently amended) The construct of claim 87, further comprising a leader sequence which **modulated** modulates mRNA stability.
- 99. (Previously presented) The construct of claim 87, further comprising a nucleic acid sequence encoding a targeting sequence for targeting a protein product of the heterologous DNA to be targeted to an intracellular compartment within plant cells or to an extracellular environment.
- 100. (Previously presented) The construct of claim 87, further comprising a selectable marker gene.
- 101. (Previously presented) The construct of claim 87, further comprising a screenable marker gene.
- 102. (Previously presented) A host cell comprising the chimeric DNA construct of

claim 87.

- 103. (Previously presented) The host cell of claim 102, wherein the host cell is a plant cell.
- 104. (Previously presented) The host cell of claim 102, wherein the host cell is a monocotyledonous plant cell.
- 105. (Previously presented) The host cell of claim 102, wherein the host cell is a nongraminaceous monocotyledonous plant cell.
- 106. (Previously presented) The host cell of claim 102, wherein the host cell is a nongraminaceous monocotyledonous plant cell selected from the group consisting of *Musaceae*, taro, ginger, onions, garlic, pineapple, bromeliads, palms, orchids, lilies and irises.
- 107. (Previously presented) The host cell of claim 102, wherein the cell is a graminaceous monocotyledonous plant cell.
- 108. (Previously presented) The host cell of claim 102, wherein the cell is a dicotyledonous plant cell.
- 109. (Previously presented) A method for gene expression in a plant, comprising introducing into a plant cell a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed.
- 110. (Previously presented) A method for producing transformed plant cells, comprising:
- (a) introducing into regenerable plant cells a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed, so as to yield transformed plant cells; and
  - (b) identifying or selecting transformed plant cells.
- 111. (Previously presented) A method for selecting stable genetic transformants from transformed plant cells comprising:
- (a) introducing into regenerable plant cells a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to

be transcribed, so as to yield transformed plant cells; and

- (b) identifying or selecting a transformed plant cell line from said transformed plant cells.
- 112. (Currently amended) A method for producing a differentiated transgenic plant, comprising:
- (a) introducing into regenerable plant cells a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed, so as to yield regenerable transformed plant cells: and
  - (b) identifying or selecting a population of transformed plant cells; And and
  - (c) regenerating a differentiated transgenic plant from the population.
- 113. (Previously presented) The method of claim 109, wherein the cell is a dicotyledonous plant cell.
- 114. (Previously presented) The method claim 109, wherein the cell is a monocotyledonous plant cell.
- 115. (Previously presented) The method of claim 109, wherein the cell is a graminaceous monocotyledonous plant cell.
- 116. (Previously presented) The method of claim 109, wherein the cell is a nongraminaceous monocotyledonous plant cell.
- 117. (Previously presented) The method of claim 109, wherein expression of the chimeric DNA construct in the transformed cell imparts a phenotypic characteristic to the transformed cell.
- 118. (Previously presented) The method of claim 109, wherein the construct comprises a selectable marker gene.
- 119. (Previously presented) The method of claim 109, wherein the construct comprises a screenable marker gene.
- 120. (Previously presented) The method of claim 112, wherein expression of the chimeric DNA construct renders the differentiated transgenic plant identifiable over a corresponding non-transgenic plant.

- 121. (Previously presented) The method of claim 112, further comprising obtaining progeny from the differentiated transgenic plant.
- 122. (Previously presented) Progeny obtained by the method of claim 121, wherein said progeny comprise said promoter and operably linked heterologous DNA sequence.
- 123. (Previously presented) A plant part of the differentiated transgenic plant obtained from the method of claim 112, wherein the plant part contains the promoter and operably linked heterologous DNA sequence.
- 124. (Previously presented) A differentiated transgenic plant regenerated from transformed plant cells obtained by the method of claim 110.
- 125. (Previously presented) A transformed plant cell containing a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed: wherein the heterologous DNA is constitutively expressed.
- 126. (Previously presented) A differentiated transgenic plant comprising plant cells containing a chimeric DNA construct comprising the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed.
- 127. (Previously presented) The transgenic plant of claim 126, wherein the plant is a dicotyledonous plant.
- 128. (Previously presented) The transgenic plant of claim 126, wherein the plant is a monocotyledonous plant.
- 129. (Previously presented) The transgenic plant of claim 126, wherein the plant is a graminaceous monocotyledonous plant.
- 130. (Previously presented) The transgenic plant of claim 126, wherein the plant is a non-graminaceous monocotyledonous plant.
- 131. (Previously presented) The transgenic plant of claim 126, wherein the construct comprises a selectable marker gene.
- 132. (Previously presented) The transgenic plant of claim 126, wherein the construct comprises a screenable marker gene.
- 133. (Previously presented) The transgenic plant of claim 126, wherein the expression

of the chimeric DNA construct renders the differentiated transgenic plant identifiable over the corresponding non-transgenic plant.

134. (Currently amended) A method of using [[of]] a chimeric DNA construct in the production of a transformed plant cell, plant or plant part; said method comprising introducing into a plant cell the promoter of claim 1 operably linked to a heterologous DNA sequence to be transcribed.

135-138. (Cancelled).